



SAFETY CONVEX MIRROR

Page 171 - 174



Outdoor Polycarbonate Convex Mirror

1)




Pole mounted bracket
(Pole not included)

Product code	Diameter (cm)	Pole bracket (cm)
PCOM 60	Ø60	Ø5
PCOM 80	Ø80	Ø7.5
PCOM 100	Ø100	Ø7.5

Indoor Polycarbonate Convex Mirror

2)



Wall mounted bracket

Product code	Diameter (cm)	Pole bracket (cm)
PCIM 45	Ø45	Ø5
PCIM 60	Ø60	Ø7.5

Polycarbonate Convex Mirror is made of polycarbonate which is soft, lightweight but with strong impact resistant and shatter-proof. Compared with acrylic, polycarbonate lens have excellent reflection properties, ultraviolet-proof and anti-scratch. The impact resistance is about 30 times stronger than the same thickness of acrylic.

Reliable: Vandal resistant. To improve visibility for blind spots indoors or outdoors, such as driveways, street corners, road crossings, garage exits, parking lots, garage, warehouse, shops, retails, supermarket, etc.



Springs back automatically, after press.



Protective film - To avoid scratch,
remove it after installation.



Indoor Dome Mirror

3)




Product code	IDM 600
Diameter (mm)	Ø600
Material made	Polycarbonate
Mounted on	Ceiling





Outdoor Stainless Steel Convex Mirror

- Round Mirror




Product code	SSCM 1000
Diameter (mm)	Ø1000
Carton size (mm)	1105 x 1085 x 128
Qty carton (pc)	1
G.W. (kg)	19.58
Mounted on	Pole
Pole diameter (mm)	Ø75

Product code	SSCM 800
Diameter (mm)	Ø800
Carton size (mm)	905 x 895 x 128
Qty carton (pc)	1
G.W. (kg)	14.05
Mounted on	Pole
Pole diameter (mm)	Ø75

Product code	SSCM 600
Diameter (mm)	Ø600
Carton size (mm)	680 x 680 x 175
Qty carton (pc)	1
G.W. (kg)	7.95
Mounted on	Pole
Pole diameter (mm)	Ø75

Indoor Stainless Steel Convex Mirror

- Round Mirror



Product code	SUS 600	SUS 490
Diameter (mm)	Ø600	Ø490
Carton size (mm)	675 x 675 x 117	525 x 525 x 110
Qty carton (pc)	1	1
G.W. (kg)	3.85	2.45
Mounted on	Wall	Wall



Wall mounted



SUS 490, SUS 600
bracket

Why Stainless Steel

Material	Weather Resistant	Impact Resistant	Reflectiveness	Lifespan (Yrs)
Stainless Steel	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	10
Acrylic	✓ ✓ ✓	✓ ✓	✓ ✓	< 1
Polycarbonate	✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓	< 2
Glass	✓ ✓	✓	✓ ✓	< 3

Remarks: ✓ ✓ ✓ ✓ ✓ Best ✓ ✓ ✓ ✓ Good ✓ ✓ ✓ Normal ✓ ✓ Poor ✓ Very Poor

Source: PIARC committee on road safety. Japan's traffic mirror guide.

Advantages of Stainless Steel

- ✓ Extreme weather conditions
- ✓ Virtually tough
- ✓ Unbreakable
- ✓ Durable. Thus, reduce cost in long term
- ✓ Minimum maintenance

Accessories

9)



L-Pole

Product code	LP 0612
Diameter (mm)	Ø75
Height (mm)	320
Wall Plate (mm)	150 x 150
Colour	Light Grey


10)



Ceiling Pole

Product code	CP 0328
Diameter (mm)	Ø75
Height (mm)	700
Ceiling Plate (mm)	152 x 152
Colour	Light Grey


11)



Mild Steel Pole

Product code	POLE 75x3M
Diameter (mm)	Ø75
Height (mm)	3000
Base Plate (mm)	305 x 460
Colour	Orange

12)



Galvanized Pole

Product code	HDG POLE 75x3M
Diameter (mm)	Ø75
Height (mm)	3000
Base Plate (mm)	305 x 460

Remarks: SSCM 1000, SSCM 800, RTCM 6080, RTCM 4560 use only.

Wall & pole bracket Ø50mm

SSCM 490
RTCM 2030
bracket



Pole bracket Ø75mm

SSCM 600
bracket



SSCM 800
RTCM 4560
RTCM 6080
bracket



SSCM 1000
bracket





